



European
Commission

JRC TECHNICAL REPORT

Weekly analysis of wildfires in the Amazon region and South America:

September 20 - September 26, 2021



GWIS

Global Wildfire Information System



2021

European Commission > JRC EU Science Hub > DRM > GWIS > Applications > Current Situation Viewer

Map Options

- Country Boundaries Layer
- Human Settlement Layer
- Protected Areas Layer
- CCI Landcover

Forecasts

FIRE DANGER FORECAST

Source: ECMWF (8 km res.)

Index: Fire Weather Index (FWI)

LIGHTNING FORECAST

Date: 20 Sep 2021

Rapid Damage Assessment

Select a date-range

Last 1 Day | Last 7 Days | Last 30 Days

Fire Season

From: 20 Sep 2021 To: 26 Sep 2021

ACTIVE FIRES

MODIS VIIRS

BURNT AREAS

MODIS (Last update: 2021-05-31)

MODIS & VIIRS NRT


FIRE EMISSIONS

- Black Carbon
- Carbon Dioxide
- Sulfur Dioxide
- Organic Carbon
- Non-Methane Hydro-Carbon
- Total Carbon in Aerosols
- Methane
- Carbon Monoxide
- Nitrogen Oxides
- Particulate Matter

FUELS

Analysis Tools

GWS Estimates per Country



Joint
Research
Centre

JRC126573

This publication is a Technical report by the Joint Research Centre (JRC), the European Commission's science and knowledge service. It aims to provide evidence-based scientific support to the European policymaking process. The scientific output expressed does not imply a policy position of the European Commission. Neither the European Commission nor any person acting on behalf of the Commission is responsible for the use that might be made of this publication. For information on the methodology and quality underlying the data used in this publication for which the source is neither Eurostat nor other Commission services, users should contact the referenced source. The designations employed and the presentation of material on the maps do not imply the expression of any opinion whatsoever on the part of the European Union concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Contact information

Name: Global Wildfire Information System

Address: <https://gwis.jrc.ec.europa.eu>

Email: jrc-effis@ec.europa.eu

Tel.: +39 0332 786138

EU Science Hub

<https://ec.europa.eu/jrc>

JRC126573

Ispra: European Commission, 2021

© European Union, 2021



The reuse policy of the European Commission is implemented by the Commission Decision 2011/833/EU of 12 December 2011 on the reuse of Commission documents (OJ L 330, 14.12.2011, p. 39). Except otherwise noted, the reuse of this document is authorised under the Creative Commons Attribution 4.0 International (CC BY 4.0) licence (<https://creativecommons.org/licenses/by/4.0/>). This means that reuse is allowed provided appropriate credit is given and any changes are indicated. For any use or reproduction of photos or other material that is not owned by the EU, permission must be sought directly from the copyright holders.

All content © European Union, 2021

How to cite this report: San-Miguel-Ayanz, J¹, Artes, T.¹, Oom, D.¹, Pfeiffer, H.³, Branco, A.³, Liberta, G.¹, De Rigo, D.³, Grecchi, R.³, Maianti, P.³, Boca, R.³, Durrant, T.⁴, Ferrari, D.⁴, 2021. Weekly analysis of wildfires in the Amazon region and South America: September 20 – September 26, 2021, European Commission, Ispra, JRC126573

¹ European Commission, Joint Research Centre (JRC), Ispra, Italy

³ ARCADIA SIT, Milan, Italy

⁴ Engineering Ingegneria Informatica S.p.A. Rome, Italy

Contents

Scope of this report and executive summary1

1 Wildfires in the Brazilian Legal Amazon Region.....3

2 Wildfires in Brazil4

3 Wildfires in Bolivia5

4 Wildfires in Colombia6

5 Wildfires in Paraguay7

6 Wildfires in Peru8

7 Wildfires in Venezuela9

8 Wildfires in Chile10

9 Wildfires in Argentina11

10 Wildfires in Ecuador12

11 Wildfires in Uruguay13

12 Wildfires in French Guiana14

13 Wildfires in Guyana.....15

14 Wildfires in Suriname.....16

15 Fire danger and fire weather forecast in the Amazon region.....17

16 List of Figures.....18

Scope of this report and executive summary

This report describes the trends of wildfires in the Amazon in 2021 through the comparison with the fire activity in the region in previous fire seasons. It must be noted that 2019 and 2020 were critical years in terms of fire activity in many of the countries in the region. Seasonality and trends on fire activity in the countries can be found at the "[country profile application](#)" in GWIS. The current report has been produced by the European Commission's Joint Research Centre (JRC) within its activities on the development of a Global Wildfire Information System (GWIS)¹ and the [EU Project on support to wildfire management in LAC](#). Most of the Amazon region is in Brazil, specifically in the Brazilian Legal Amazon (BLA)², and in other neighbor countries. Figure 1 shows the geographical extent of the countries analyzed in this report.

- In the **Brazil Legal Amazon (BLA)**, within Brazil, a total of 10.46 Million ha (Mha) burnt from January 1 until September 26, 2021. This value is below those of 2019 and 2020 in the same period. **Last week, 1,661 fires occurred**, which is below the values of the previous 6 years for the same week, with the exception of 2019.
- **In Brazil, 17.47 Mha burnt from January 1 until September 26, 2021**, with a total of 1.06 Mha ha burnt in the last week. The total burnt area in Brazil is below the values of 2019 and 2020 in the same period and number of fires is below that of 2020 (2,794 fires occurred last week).
- **In Bolivia**, the total burnt area in 2021 (4.51 Mha) is lower than that recorded for 2019, which was a critical year in the country. The total burnt area and number of fires are now close to the values reached in 2020 up to the same week. 849 fires were recorded last week. Critical fires are still taking place in the southeast near San Ignacio de Velasco and in the border with Brazil (Corumbá), where similar critical fires occurred in 2019.
- **In Colombia**, the total burnt area in the country (2.82 Mha) is above the values of 2018 and 2019, but approximately 12% below the values of 2020. The total number of fires since January 2021 is 9,701, the highest value since 2015 for the same period.
- **In Paraguay**, 2.90 Mha burnt since January 1 until September 26, 2021. The area burnt and the number of fires in the last week are in the lower range of the values in the last 6 years for the same week. The total burnt area in 2021 is above those in 2018 and 2019 but below the values of the severe season of 2020.
- **In Peru**, for the period January 1 until September 26, 2021, the total burnt area (1.82 Mha) and total number of fires (6,668). The current fire season is still below the trend of the worst fire season of the last 6 years (2020) in the country. The burnt area and the number of fires are the highest values reached in the same week in the last 6 years.
- **In Venezuela**, 4.29 Mha burnt in the current year until September 26. The value of the total burnt area in Venezuela is lower than that in 2019 and 2020.
- **In Chile**, 443,582 ha burnt in the current year until September 26, 2021. This value is 51% higher than that in 2020. The number of fires until now (1,677), is the highest value since 2015.
- **In Argentina**, a total of .65 Mha burnt since January 1 until September 26, 2021, which is less than half of what burned in 2020. A total of 12,317 fires were mapped this year.
- **In Ecuador**, a total of 295 fires burnt 69,588 ha since January 1 until September 26. These values are similar to the values of the last six years, while the peak of the fire season is just starting.
- **In Uruguay**, a total of 47,531 ha burnt since January 1 until September 26 with 336 ha burnt last week. The total area is larger than the area burnt in 2018 and 2019 but lower than in 2020.
- **In French Guiana** a total of 893 ha burnt since January 1 until September 26, 2021. This value is similar to previous years. 1 fire was recorded last week.
- **In Guyana**, a total of 62,289 ha burnt from January 1 until September 26, 2021, a value higher than that of 2018 but lower than the values in 2019 and 2020. 1 fire was mapped last week.
- **In Suriname**, 21 fires burnt a total of 4,533 ha since January 1 until September 26, 2021, a value similar to that of 2018 and lower than 2019 and 2020. One fire was recorded last week.

¹ <https://gwis.jrc.ec.europa.eu>

² The Brazilian Legal Amazon is a geopolitical region in Brazil, established in the article 2 of the complementary law 124, of 2007, that includes 772 municipalities over 9 states. It comprises approximately five million square kilometres, which correspond to 59% of the Brazilian territory ([IBGE, 2019](#))

- This week, it is expected that fire danger conditions will continue to be very high to extreme in eastern part of Brazil, southeast Bolivia, northern Chile and also in Paraguay, and across Argentina.



Figure 1. Areas analyzed in this report: Brazil Legal Amazon, Brazil, Bolivia, Colombia, Paraguay, Peru, Venezuela, Chile, Argentina, Ecuador, Uruguay, French Guiana, Guyana and Suriname

1 Wildfires in the Brazilian Legal Amazon Region

Figure 2 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021, produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 10.46 Mha burnt in the BLA since January 1 until September 26, 2021, with 0.49 Mha burnt in total during the last week, which is a low value for the same week for the last 6 years. The number of fires recorded in GWIS last week was 1,661, and the total number of fires up to September 26 is about the average value of the last 5 years. The number of thermal anomalies until September 26, 2021 (500,390) shows a typical trend in the region as compared to the trends in 2019 and 2020. 39,650 thermal anomalies were registered last week.




Figure 2 Trend of burnt areas and number of fires as compared to data in the last 6 years.

2 Wildfires in Brazil

Figure 3 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021, produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 17.47 Mha ha burnt in Brazil since January 1 until September 26, 2021, below the burnt area of 2019 up to the same date, with a total 1.06 Mha burnt in the last week. The number of fires recorded in GWIS in the last week was 2,794; the total of number of fires up to the 26 of September is close to the values in 2020 for the same period. The number of thermal anomalies until September 26, 2021 (902,421) shows a typical trend in the region. 95,379 thermal anomalies were registered last week.




Figure 3. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

3 Wildfires in Bolivia

Figure 4 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021, produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 4.51 Mha ha burnt in Bolivia since January 1 until September 26, 2021, with 383,228 ha burnt in the last week. The cumulative values of burnt areas are higher than 2018 and 2020 but lower than 2019. The number of fires recorded in GWIS in the last week was 849. The trend of number of fires in 2021 is lower than in the year 2020 for the same period. The number of thermal anomalies until September 26, 2021 (184,071) is the second highest value since 2015 for the same period. 32,816 thermal anomalies were detected by VIIRS in the last week. Critical fires are still active in the southeast of the country.




Figure 4. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

4 Wildfires in Colombia

Figure 5 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021 produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 2.82 Mha burnt in Colombia since January 1 until September 26, 2021. Approximately 21,576 ha burnt in the country the last week. The number of fires recorded in GWIS in the last week was 104. The number of thermal anomalies until September 26, 2021 (66,408) follows a typical trend in the region with values below of 2019 and 2020. 732 thermal anomalies detected by VIIRS last week.




Figure 5. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

5 Wildfires in Paraguay

Figure 6 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021, produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 2.90 Mha burnt in Paraguay since January 1 until September 26, 2021. Approximately, 78,271 ha burnt in the country the last week, being this the second lowest value for this week in the last 6 years. The number of fires recorded in GWIS in the last week was 267, also the second lowest values of the last 6 years for the same week. The number of thermal anomalies until September 26, 2021 (104,443) follows a typical trend in the region. 4,336 thermal anomalies detected by VIIRS last week.




Figure 6. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

6 Wildfires in Peru

Figure 7 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021, produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 1.82 Mha burnt in Peru since January 1 until September 26, 2021, the second highest value since 2015 for the same period, lower than 2020. Approximately, 156,659 ha burnt in the last week, the highest value of the last 6 years for the same week. The number of thermal anomalies until September 26, 2021 (45,432) shows a typical trend in the region. 4,438 thermal anomalies registered last week, increasing after the last week.




Figure 7. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

7 Wildfires in Venezuela

Figure 8 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021, produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 4.29 Mha burnt in Venezuela since January 1 until September 26, 2021, with 10,720 ha burnt in the last week. These values are below the values of 2019 and 2020. The number of fires recorded in GWIS in the last week was 49. The number of thermal anomalies until September 26, 2021 (128,088) shows a typical trend in the region. 1,749 thermal anomalies were recorded by VIIRS during the last week.




Figure 8. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

8 Wildfires in Chile

Figure 9 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021, produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 443,582 ha burnt in Chile since January 1 until September 26, 2021, with 7,616 ha burnt in the last week. The number of fires recorded in GWIS in the last week was 44, while the number of fires remains above the numbers of the last 6 years. The number of thermal anomalies until September 26, 2021 (12,777) shows a typical trend in the region as compared to the trends during previous years. 300 thermal anomalies were detected by VIIRS during the last week, which is similar to the values in the same week during previous years.




Figure 9. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

9 Wildfires in Argentina

Figure 10 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021, produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 3.65 Mha burnt in Argentina since January 1 until September 26, 2021, with 98,724 ha burnt in the last week. These values are below of those of 2020 and 2019 but similar to the ones reached in 2018 for the same week. The number of fires recorded in GWIS in the last week was 391. The number of thermal anomalies until September 26, 2021 (121,261) shows a typical trend in the region. 4,711 thermal anomalies were recorded by VIIRS during the last week.




Figure 10. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

10 Wildfires in Ecuador

Figure 11 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021 produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 69,588 ha burnt in Ecuador since January 1 until September 26, 2021, with 3,757 ha burnt in the last week. The number of fires recorded in GWIS in the last week was 22. The trends of the areas burnt and the number of fires in the country are similar to those of the previous 6 years. The number of thermal anomalies until September 26, 2021 (2,426) shows a typical trend in the region. 176 thermal anomalies were detected by VIIRS in the last week.




Figure 11. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

11 Wildfires in Uruguay

Figure 12 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021 produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 47,531 ha burnt in Uruguay since January 1 until September 26, 2021, with 336 ha burnt last week, which a low value compared with the same weekly value in the previous year. One fire was recorded last week. The number of thermal anomalies until September 26, 2021 (1,680) shows a typical trend in the region.




Figure 12. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

12 Wildfires in French Guiana

Figure 13 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021, produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 893 ha burnt since January 1 until September 26, 2021, in French Guiana, 1 fire was recorded last week. The number of thermal anomalies until September 26, 2021 (81) shows a typical trend in the region as compared to the trends during previous years. 9 thermal anomalies were detected by VIIRS during the last week, which is similar to the values in the same week during previous years.




Figure 13. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

13 Wildfires in Guyana

Figure 14 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021 produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 62,289 ha burnt in Guyana since January 1 until September 26, 2021, with 194 ha burnt and 1 fire recorded last week. The total number of thermal anomalies until September 26, 2021 (2,098) are the lowest of the last 6 years s. 125 thermal anomalies were detected by VIIRS during the last week, which is similar to the values in the same week during previous years.




Figure 14. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

14 Wildfires in Suriname

Figure 15 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021, produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 4,533 ha burnt in Suriname since January 1 until September 26, 2021. One fire was recorded last week. The total number of fires since the beginning of the year is 21. The number of thermal anomalies until September 26, 2021 (218) shows a typical trend in the region. 49 thermal anomalies were registered last week.




Figure 15. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

15 Fire danger and fire weather forecast in the Amazon region

This section provides information on the fire danger forecast in the Amazon region for the current week. High levels of fire danger facilitate fire ignitions and the propagation of ongoing fires. Figure 16 provides the average fire danger for the week of September 27 to October 3, 2021. This information is based on the daily fire danger forecast that is provided online in GWIS³. According to the forecast, it is expected that fire danger conditions will continue to be very high to extreme in eastern part of Brazil, southeast Bolivia, northern Chile and also in Paraguay, and across Argentina.




Figure 16. Average Fire danger forecast of the current week, September 27- October 03, 2021.

The weekly weather forecast of temperature and precipitation anomalies are presented in Figure 17. Below average temperatures are forecasted for areas of northern Brazil and eastern Argentina. Above average temperatures are forecasted in Paraguay, northern Bolivia, southeastern Brazil, northern Argentina and Chile. The models estimate below average precipitation for next week in northern Bolivia, Paraguay, southeastern Brazil and eastern Argentina. An above average precipitation is expected in northern Brazil, while below average is expected in Northern Bolivia.




Figure 17. Temperature and rain anomalies of the current week, September 27 - October 03, 2021.

³ https://gwis.jrc.ec.europa.eu/static/gwis_current_situation/public/index.html

16 List of Figures

Figure 1. Areas analyzed in this report: Brazil Legal Amazon, Brazil, Bolivia, Colombia, Paraguay, Peru, Venezuela, Chile, Argentina, Ecuador, Uruguay, French Guiana, Guyana and Suriname 2

Figure 2 Trend of burnt areas and number of fires as compared to data in the last 6 years..... 3

Figure 3. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years. 4

Figure 4. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years. 5

Figure 5. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years. 6

Figure 6. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years. 7

Figure 7. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years. 8

Figure 8. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years. 9

Figure 9. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years. 10

Figure 10. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years. 11

Figure 11. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years. 12

Figure 12. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years. 13

Figure 13. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years. 14

Figure 14. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years. 15

Figure 15. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years. 16

Figure 16. Average Fire danger forecast of the current week, September 27- October 03, 2021. 17

Figure 17. Temperature and rain anomalies of the current week, September 27 - October 03, 2021. 17

GETTING IN TOUCH WITH THE EU

In person

All over the European Union there are hundreds of Europe Direct information centres. You can find the address of the centre nearest you at: https://europa.eu/european-union/contact_en

On the phone or by email

Europe Direct is a service that answers your questions about the European Union. You can contact this service:

- by freephone: 00 800 6 7 8 9 10 11 (certain operators may charge for these calls),
- at the following standard number: +32 22999696, or
- by electronic mail via: https://europa.eu/european-union/contact_en

FINDING INFORMATION ABOUT THE EU

Online

Information about the European Union in all the official languages of the EU is available on the Europa website at: https://europa.eu/european-union/index_en

EU publications

You can download or order free and priced EU publications from EU Bookshop at: <https://publications.europa.eu/en/publications>. Multiple copies of free publications may be obtained by contacting Europe Direct or your local information centre (see https://europa.eu/european-union/contact_en).

The European Commission's science and knowledge service

Joint Research Centre

JRC Mission

As the science and knowledge service of the European Commission, the Joint Research Centre's mission is to support EU policies with independent evidence throughout the whole policy cycle.



EU Science Hub
ec.europa.eu/jrc



@EU_ScienceHub



EU Science Hub - Joint Research Centre



EU Science, Research and Innovation



EU Science Hub



Publications Office
of the European Union