

JRC TECHNICAL REPORT

Weekly analysis of wildfires in the Amazon region: November 16 - November 22, 2020

2020



This publication is a Technical report by the Joint Research Centre (JRC), the European Commission's science and knowledge service. It aims to provide evidence-based scientific support to the European policymaking process. The scientific output expressed does not imply a policy position of the European Commission. Neither the European Commission nor any person acting on behalf of the Commission is responsible for the use that might be made of this publication. For information on the methodology and quality underlying the data used in this publication for which the source is neither Eurostat nor other Commission services, users should contact the referenced source. The designations employed and the presentation of material on the maps do not imply the expression of any opinion whatsoever on the part of the European Union concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Contact information

Name: Global Wildfire Information System Address: https://gwis.jrc.ec.europa.eu

Email: jrc-effis@ec.europa.eu Tel.: +39 0332 786138

EU Science Hub https://ec.europa.eu/jrc

JRC 122849

Luxembourg: Publications Office of the European Union, 2020

© European Union, 2020



The reuse policy of the European Commission is implemented by the Commission Decision 2011/833/EU of 12 December 2011 on the reuse of Commission documents (OJ L 330, 14.12.2011, p. 39). Except otherwise noted, the reuse of this document is authorised under the Creative Commons Attribution 4.0 International (CC BY 4.0) licence (https://creativecommons.org/licenses/by/4.0/). This means that reuse is allowed provided appropriate credit is given and any changes are indicated. For any use or reproduction of photos or other material that is not owned by the EU, permission must be sought directly from the copyright holders.

All content © European Union, 2020

How to cite this report: San-Miguel-Ayanz, J¹., Artes, T.¹, Oom, D.¹, Campanharo, W.², Pfeiffer, H.³, Branco, A.³, Liberta, G.¹, De Rigo, D. ³, Grecchi, R.³, Maianti, P.³, Boca, R.³, Durrant, T.⁴, Ferrari, D.⁴, 2020. Weekly analysis of wildfires in the Amazon region: November 16 – November 22, 2020, Publications Office of the European Union, Luxembourg, JRC122849.

- ¹ European Commission, Joint Research Centre (JRC), Ispra, Italy
- ² Instituto Nacional de Pesquisas Espaciais (INPE), San Jose dos Campos, Brazil
- ³ ARCADIA SIT, Milan, Italy
- ⁴ Engineering Ingegneria Informatica S.p.A. Rome, Italy

Contents

Sc	ope of this report and executive summary	1
	Wildfires in the Brazilian Legal Amazon Region	
2	Wildfires in Brazil	3
3	Wildfires in Bolivia	4
4	Wildfires in Colombia	5
5	Wildfires in Paraguay	6
6	Wildfires in Peru	7
7	Wildfires in Venezuela	8
8	Fire danger and fire weather forecast in the Amazon region	9

Scope of this report and executive summary

This report describes the trends of wildfires in the Amazon in 2020 through the comparison with the fire activity in the region in previous fire seasons. It must be noted than 2019 was a critical year in terms of fire activity in many of the countries in the region. Seasonality and trends on fire activity in the countries can be found at the <u>IRC Technical Report on the Amazon</u>. The current report has been produced by the European Commission's Joint Research Centre (JRC) within its activities on the development of a Global Wildfire Information System (GWIS)¹. Most of the Amazon region is in Brazil, specifically in the Brazilian Legal Amazon (BLA)², and in other neighbor countries. Paraguay has been included in this report due to the high fire activity observed this year, although it is not part of the Amazon region. Figure 1 shows the geographical extent of the countries analyzed in this report.

- The fire season is ending in most of the countries included in this report. The fire activity trends confirm this last fact for most of the countries. An exception is Peru, where the fire activity was still above normal during the last weeks of the fire season. Venezuela should be the first country to start the fire season again in December.
- In the Brazil Legal Amazon (BLA), within Brazil, a total of 32.07 Mha burnt since January 1 until November 22, 2020. This value is about 58% higher than that of 2019. The number of fires and burnt areas in the BLA have generally decreased in the last weeks. Last week 1844 fires occurred, which is still a higher value than those in 2019 and 2018 for the same week.
- **45.20 Mha ha burnt in Brazil since January 1 until November 22**, **2020**, with a total of 583,447 hectares burnt in the last week. The value of burnt areas of last week was slightly above the value of the same week in 2019. **So far, the total burnt area in Brazil is about 47% higher than that of 2019. 2,545 fires occurred last week**. The average fire size is similar to 2019 that was a critical year.
- In Bolivia, the last week had similar burnt area and higher number of fires than the same week in 2019, increasing the burnt area trend of the year 2020 (8.63 Mha) by a 6%, with the values above of those of 2019 (8.13Mha). The average fire size remains similar to previous years, although lower than the peaks of the fire size reached during July of 2019.
- In Colombia, the fire activity in the last week followed the patterns of previous years. However, the total burnt area in the country (3.32 Mha) remains approximately 24.41% above the values of 2019, due to the intensive fire activity from January to April 2020.
- Paraguay, with 6.25 Mha burnt since January 1 until November 22, 2020, has reached values nearly two times the values in 2018 and 2019. The number of fires recorded last week (371) is above the values of the same weeks of 2018 and 2019.
- A total of 2.73 Mha burnt in **Peru** since January 1 until November 22, 2020. **This value is more than the double of that of 2019, mainly because of the intense fire activity during July and August**. The number of fires mapped in GWIS is nearly double of that in 2019.
- Venezuela recorded 6.93 Mha burnt in the current year. The value of the total burnt area in Venezuela is approximately 15.63% higher than that in 2019 due to the intensive fire activity in the country between January and April. The trend in the last week is comparable to those of 2018 and 2019.
- This week, fire danger conditions will remain extreme in eastern Brazil and moderate to high in southwestern Brazil, Bolivia and Paraguay, increasing the fire danger levels from last week.



Figure 1. Areas analyzed in this report: Brazil Legal Amazon, Brazil, Bolivia, Colombia, Paraguay, Peru and Venezuela

¹ https://gwis.jrc.ec.europa.eu

² The Brazilian Legal Amazon is a geopolitical region in Brazil, established in the article 2 of the complementary law 124, of 2007, that includes 772 municipalities over 9 states. It comprises approximately five million square kilometres, which correspond to 59% of the Brazilian territory (<u>IBGE, 2019</u>)

1 Wildfires in the Brazilian Legal Amazon Region

Figure 2 shows the trends on the extent of burnt areas and the number of fires since January 1, 2020 produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 32.07 Mha burnt in the BLA since January 1 until November 22, 2020, with 442,132 ha burnt in total the last week, higher than 2019 for the same week. Until November 22 th, the total burnt area in 2020 in BLA is about 58% higher than that of 2019.

The number of fires recorded in GWIS in the last week was 1.844, higher than the value in 2019 and 2018 in that week. The total number of fires in 2020 is above the figures in 2018 and 2019. On average, fires that occurred in the BLA in the last 3 weeks, were of a similar size in 2020 compared to 2019 and 2018. The number of thermal anomalies until November 22, 2020 (976,493) shows a typical trend in the region as compared to the trends in 2018 and 2019. A number of 10,442 thermal anomalies was registered last week.




Figure 2. Trend of burnt areas and number of fires as compared to data in the last two years.

2 Wildfires in Brazil

Figure 3 shows the trends on the extent of burnt areas and the number of fires since January 1, 2020 produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 45.20 Mha ha burnt in Brazil since January 1 until November 22, 2020, with a total 583,447 Mha burnt in the last week. The value of the week was higher than of the values for the same week in 2019. Until November 22 th, the total burnt area in Brazil is about 47.4% higher than that of 2019.

The number of fires recorded in GWIS in the last week was 2545, higher than the value in 2019 and 2018 in that week. The number of fires in 2020 up to November 22 is higher than that of 2019, although the average fire size is similar to 2019 that was a critical year. The number of thermal anomalies until November 22 , 2020 (1,383,805) shows a typical trend in the region but with lower values as compared to the trends in 2019 but higher than 2018. 16,257 thermal anomalies were registered last week.




Figure 3. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last two years.

3 Wildfires in Bolivia

Figure 4 shows the trends on the extent of burnt areas and the number of fires since January 1, 2020 produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 8.63 Mha ha burnt in Bolivia since January 1 until November 22, 2020, with 135,634 ha burnt in the last week. The last week had higher burnt area and number of fires than the same week in 2019. However, the average fire size remains similar to previous years and much lower from the peaks of the average fire size reached during July and August of 2019.

The number of fires recorded in GWIS in the last week was 519, similar with the number of fires in the same week in 2018 and 2019. The number of thermal anomalies until November 22, 2020 (265,633) shows a typical trend in the region. 3,837 thermal anomalies were detected by VIIRS in the last week.




Figure 4. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last two years.

4 Wildfires in Colombia

Figure 5 shows the trends on the extent of burnt areas and the number of fires since January 1, 2020 produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 3.32 Mha burnt in Colombia since January 1 until November 22, 2020, with 38,329 ha burnt in the last week. The fire activity of last week is higher to those of previous years, the total burnt area in the country is approximately 24.41 % above the values of 2019, due to the intensive fire activity from January to April 2020.

The number of fires recorded in GWIS in the last week was 161, which shows a stable trend in the last weeks, as compared to 2018 and 2019, but increasing from the last week. The number of fires is approximately 26.25% higher than that of last year. The number of thermal anomalies until November 22, 2020 (116,122) shows a typical trend in the region as compared to the trends in 2018 and 2019, with values approximately 20% higher than those in 2019. 651 thermal anomalies were detected by VIIRS during the last week, which is similar to the values in the same week in 2019 and 2018.




Figure 5. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last two years.

5 Wildfires in Paraguay

Figure 6 shows the trends on the extent of burnt areas and the number of fires since January 1, 2020 produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 6.25 Mha burnt in Paraguay since January 1 until November 22, 2020, which is nearly two times the values in 2018 and 2019. Approximately 109,455 ha burnt in the country the last week, higher than the value of the same week of 2019.

The number of fires recorded in GWIS in the last week was 371, which is higher than the value in 2019 and 2018. The average fire size has decreased during the last weeks and is similar of the same weeks of 2018 and smaller than 2019. The number of thermal anomalies until November 22, 2020 (197,983) follows a typical trend in the region, but with higher values, nearly the double as compared to 2018 and 2019. 3,210 thermal anomalies detected by VIIRS last week.




Figure 6. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last two years.

6 Wildfires in Peru

Figure 7 shows the trends on the extent of burnt areas and the number of fires since January 1, 2020 produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 2.73 Mha burnt in Peru since January 1 until November 22, 2020. This value is almost the double than that of 2019. Approximately 57,078 ha burnt in the last week, higher values than ones of 2018 and 2019 for the same week.

The number of fires recorded in GWIS in the last week was 259, increased from the last week with higher values than ones of 2018 and 2019 for the same week. The total number of fires since the beginning of the year, above 10,000, is about double of that of 2019. Compared with previous years, the fire season in 2020 is taking more weeks to end than in 2018 and 2019. The number of thermal anomalies until August 30, 2020 (80,734) shows a typical trend in the region, with values higher than in 2018 and 2019. 1,249 thermal anomalies registered last week, decreasing after the last week.




Figure 7. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last two years.

7 Wildfires in Venezuela

Figure 8 shows the trends on the extent of burnt areas and the number of fires since January 1, 2020 produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 6.93 Mha burnt in Venezuela since January 1 until November 22, 2020, with 17,396 ha burnt in the last week. The value of the total burnt area in the country is approximately 15.63 % higher than that in 2019 due to the intensive fire activity in the country between January and April. The trend in the last week is comparable to that of 2018 and 2019.

The number of fires recorded in GWIS in the last week was 93, which shows a stable trend comparable to those of the previous two years, although the total number of fires remains approximately $18\,\%$ higher than in 2019. The number of thermal anomalies until November 22, 2020 (275,489) shows a typical trend in the region as compared to the trends in 2018 and 2019, but with approximately 30% higher value than the previous years. 893 thermal anomalies were recorded by VIIRS during the last week, a value that is like those recorded in that week the previous two years.




Figure 8. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last two years.

8 Fire danger and fire weather forecast in the Amazon region

This section provides information on the fire danger forecast in the Amazon region for the current week. High levels of fire danger facilitate fire ignitions and the propagation of ongoing fires. Figure 9 provides the average fire danger for the week of November 16 to November 22, 2020. This information is based on the daily fire danger forecast that is provided online in GWIS³. According to this forecast, it is expected that fire danger conditions will remain extreme in eastern Brazil and moderate to high in southwestern Brazil, Bolivia and Paraguay increasing the fire danger levels in comparison with the last week.




Figure 9. Average Fire danger forecast. Week, November 23-November 29, 2020.

The weekly fire weather forecast of temperature and precipitation anomalies for this week is presented in Figure 10. Above average temperatures are forecasted for southwestern Brazil, Bolivia, southeastern Peru and Paraguay. Below averages temperatures values are forecasted for eastern and northeastern Brazil. The models estimate an above average precipitation rates for this week mainly in the BLA region. Below average precipitation rates are forecasted for southeastern Brazil, Bolivia, Paraguay and central Peru.




Figure 10. Fire weather anomalies of the current week, November 23-November 29, 2020.

³ https://gwis.jrc.ec.europa.eu/static/gwis_current_situation/public/index.html

GETTING IN TOUCH WITH THE EU

In person

All over the European Union there are hundreds of Europe Direct information centres. You can find the address of the centre nearest you at: https://europa.eu/european-union/contact-en

On the phone or by email

 $\label{thm:continuous} \textbf{Europe Direct is a service that answers your questions about the European Union. You can contact this service:}$

- by freephone: $00\,800\,6\,7\,8\,9\,10\,11$ (certain operators may charge for these calls),
- at the following standard number: +32 22999696, or
- by electronic mail via: https://europa.eu/european-union/contact-en

FINDING INFORMATION ABOUT THE EU

Online

EU publications

You can download or order free and priced EU publications from EU Bookshop at: https://publications.europa.eu/en/publications. Multiple copies of free publications may be obtained by contacting Europe Direct or your local information centre (see https://europa.eu/european-union/contact en).

The European Commission's science and knowledge service

Joint Research Centre

JRC Mission

As the science and knowledge service of the European Commission, the Joint Research Centre's mission is to support EU policies with independent evidence throughout the whole policy cycle.



EU Science Hub

ec.europa.eu/jrc

- @EU_ScienceHub
- **f** EU Science Hub Joint Research Centre
- in EU Science, Research and Innovation
- EU Science Hub

