

JRC TECHNICAL REPORT

Weekly analysis of wildfires in the Amazon region and South America:

September 6 - September 12, 2021



This publication is a Technical report by the Joint Research Centre (JRC), the European Commission's science and knowledge service. It aims to provide evidence-based scientific support to the European policymaking process. The scientific output expressed does not imply a policy position of the European Commission. Neither the European Commission nor any person acting on behalf of the Commission is responsible for the use that might be made of this publication. For information on the methodology and quality underlying the data used in this publication for which the source is neither Eurostat nor other Commission services, users should contact the referenced source. The designations employed and the presentation of material on the maps do not imply the expression of any opinion whatsoever on the part of the European Union concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Contact information Name: Global Wildfire Information System Address: https://gwis.jrc.ec.europa.eu Email: jrc-effis@ec.europa.eu Tel.: +39 0332 786138

EU Science Hub https://ec.europa.eu/jrc

JRC126469

Ispra: European Commission, 2021

© European Union, 2021



The reuse policy of the European Commission is implemented by the Commission Decision 2011/833/EU of 12 December 2011 on the reuse of Commission documents (OJ L 330, 14.12.2011, p. 39). Except otherwise noted, the reuse of this document is authorised under the Creative Commons Attribution 4.0 International (CC BY 4.0) licence (<u>https://creativecommons.org/licenses/by/4.0/</u>). This means that reuse is allowed provided appropriate credit is given and any changes are indicated. For any use or reproduction of photos or other material that is not owned by the EU, permission must be sought directly from the copyright holders.

All content © European Union, 2021

How to cite this report: San-Miguel-Ayanz, J¹, Artes, T. ¹, Oom, D. ¹, Pfeiffer, H.³, Branco, A. ³, Liberta, G.¹, De Rigo, D. ³, Grecchi, R. ³, Maianti, P.³, Boca, R. ³, Durrant, T. ⁴, Ferrari, D. ⁴, 2021. Weekly analysis of wildfires in the Amazon region and South America: September 6 – September 12, 2021, European Commission, Ispra, JRC126469

¹ European Commission, Joint Research Centre (JRC), Ispra, Italy

³ ARCADIA SIT, Milan, Italy

⁴ Engineering Ingegneria Informatica S.p.A. Rome, Italy

Contents

Scope of this report and executive summary1	
1	Wildfires in the Brazilian Legal Amazon Region
2	Wildfires in Brazil
3	Wildfires in Bolivia5
4	Wildfires in Colombia
5	Wildfires in Paraguay7
6	Wildfires in Peru
7	Wildfires in Venezuela9
8	Wildfires in Chile
9	Wildfires in Argentina11
10	Wildfires in Ecuador12
11	Wildfires in Uruguay
12	Wildfires in French Guiana14
13	Wildfires in Guyana15
14	Wildfires in Suriname16
15	Fire danger and fire weather forecast in the Amazon region17
16	List of Figures

Scope of this report and executive summary

This report describes the trends of wildfires in the Amazon in 2021 through the comparison with the fire activity in the region in previous fire seasons. It must be noted than 2019 and 2020 were critical years in terms of fire activity in many of the countries in the region. Seasonality and trends on fire activity in the countries can be found at the "country profile application" in GWIS. The current report has been produced by the European Commission's Joint Research Centre (JRC) within its activities on the development of a Global Wildfire Information System (GWIS)¹ and the <u>EU Project on support to wildfire management in LAC</u>. Most of the Amazon region is in Brazil, specifically in the Brazilian Legal Amazon (BLA)², and in other neighbor countries. Figure 1 shows the geographical extent of the countries analyzed in this report.

- In the Brazil Legal Amazon (BLA), within Brazil, a total of 9.44 Million ha (Mha) burnt from January 1 until September 12, 2021. This value is below those of 2019 and 2020 in the same period. Last week, 1,811 fires occurred, which is below the values of the previous 6 years for the same week.
- In Brazil, 15.58 Mha burnt from January 1 until September 12, 2021, with a total of 1.20 Mha ha burnt in the last week. The total burnt area in Brazil is below the values of 2019 and 2020 in the same period and number of fires is just below that of 2020 (3,117 fires occurred last week).
- In Bolivia, the total burnt area in 2021 (3.69 Mha) is lower than that recorded for 2019, which was a critical year in the country. The total burnt area and number of fires are now close to the values reached in 2020 up to the same week. 461 fires were recorded last week. Critical fires are still taking place near Robore, in the southeast of the country, where similar critical fires occurred in 2019.
- **In Colombia**, the total burnt area in the country (2.77 Mha) is above the values of 2018 and 2019, but approximately 12% below the values of 2020. The total number of fires since January 2021 is 9,470, the highest value since 2015 for the same period.
- **In Paraguay**, 2.78 Mha burnt since January 1 until September 12, 2021. The area burnt and the number of fires in the last week are the lowest in the last 6 years for the same week. The total burnt area in 2021 is above those in 2018 and 2019 but below the values of the severe season of 2020.
- In Peru, for the period January 1 until September 12, 2021, the total burnt area (1.45 Mha) and total number of fires (5,288). The current fire season is still below the trend of the worst fire season of the last 6 years (2020) in the country. The burnt area and the number of fires in the last week are the second lowest the values reached in the last 6 years.
- **In Venezuela**, 4.27 Mha burnt in the current year until September 12. The value of the total burnt area in Venezuela is lower than that in 2019 and 2020.
- **In Chile**, 433,860 ha burnt in the current year until September 12, 2021. This value is 51% higher than that in 2020. The number of fires until now (1,620), is the highest value since 2015.
- In Argentina, a total of 3.41 Mha burnt since January 1 until September 12, 2021, which is less than half of what burned in 2020. A total of 11,428 fires were mapped this year.
- **In Ecuador**, a total of 255 fires burnt 62,443 ha since January 1 until September 12. These values are similar to the values of the last six years, but the fire season is just starting.
- **In Uruguay**, a total of 47,040 ha burnt since January 1 until September 12 with 159 ha burnt last week. The total area is larger than the area burnt in 2018 and 2019 but lower than in 2020.
- **In French Guiana** a total of 893 ha burnt since January 1 until September 12, 2021. This value is similar to previous years. 1 fire was recorded last week.
- **In Guyana**, a total of 61,718 ha burnt from January 1 until September 12, 2021, a value higher than that of 2018 but lower than the values in 2019 and 2020. 2 fires were mapped last week.
- **In Suriname**, 21 fires burnt a total of 4,533 ha since January 1 until September 12, 2021, a value similar to that of 2018 and lower than 2019 and 2020. One fire was recorded last week.
- This week, fire danger conditions will continue to be very high to extreme in eastern part of Brazil, northern Chile and moderate to high in eastern Bolivia, Paraguay and northern/western Argentina.

¹ https://gwis.jrc.ec.europa.eu

² The Brazilian Legal Amazon is a geopolitical region in Brazil, established in the article 2 of the complementary law 124, of 2007, that includes 772 municipalities over 9 states. It comprises approximately five million square kilometres, which correspond to 59% of the Brazilian territory (<u>IBGE, 2019</u>)



Figure 1. Areas analyzed in this report: Brazil Legal Amazon, Brazil, Bolivia, Colombia, Paraguay, Peru, Venezuela, Chile, Argentina, Ecuador, Uruguay, French Guiana, Guyana and Suriname

1 Wildfires in the Brazilian Legal Amazon Region

Figure 2 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021, produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 9.44 Mha burnt in the BLA since January 1 until September 12, 2021, with 0.62 Mha burnt in total during the last week, which is below the values of the same week for the last 6 years. The number of fires recorded in GWIS last week was 1,811, and the total number of fires up to September 12 is about the average value of the last 5 years. The number of thermal anomalies until September 12, 2021 (415,442) shows a typical trend in the region as compared to the trends in 2019 and 2020. 35,872 thermal anomalies were registered last week.




Figure 2 Trend of burnt areas and number of fires as compared to data in the last 6 years.

2 Wildfires in Brazil

Figure 3 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021, produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 15.58 Mha ha burnt in Brazil since January 1 until September 12, 2021, below the burnt area of 2019 up to the same date, with a total 1.20 Mha burnt in the last week. The number of fires recorded in GWIS in the last week was 3,117; the total of number of fires up to the 12 of September is close to the values in 2020 for the same period. The number of thermal anomalies until September 12, 2021 (701,816) shows a typical trend in the region. 81,509 thermal anomalies were registered last week.




Figure 3. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

3 Wildfires in Bolivia

Figure 4 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021, produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 3.69 Mha ha burnt in Bolivia since January 1 until September 12, 2021, with 209,900 ha burnt in the last week. The cumulative values of burnt areas are higher than 2018 and 2020 but lower than 2019. The number of fires recorded in GWIS in the last week was 461. The trend of number of fires in 2021 is lower than in the year 2020 for the same period. The number of thermal anomalies until September 12, 2021 (132,239) is the second highest value since 2015 for the same period. 11,895 thermal anomalies were detected by VIIRS in the last week. Critical fires are still active in the southeast of the country.




Figure 4. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

4 Wildfires in Colombia

Figure 5 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021 produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 2.77 Mha burnt in Colombia since January 1 until September 12, 2021. Approximately 11.109 ha burnt in the country the last week increasing from the previous week. The number of fires recorded in GWIS in the last week was 54. The number of thermal anomalies until September 12, 2021 (64,404) follows a typical trend in the region with similar values of 2018 but way below of 2019 and 2020. 436 thermal anomalies detected by VIIRS last week.




Figure 5. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

5 Wildfires in Paraguay

Figure 6 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021, produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 2.78 Mha burnt in Paraguay since January 1 until September 12, 2021. Approximately, 47,405 ha burnt in the country the last week, being this the lowest value for this week in the last 6 years. The number of fires recorded in GWIS in the last week was 170, also below the values of the last 6 years for the same week. The number of thermal anomalies until September 12, 2021 (96,691) follows a typical trend in the region. 2,552 thermal anomalies detected by VIIRS last week, which is the highest value in the last 6 years.




Figure 6. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

6 Wildfires in Peru

Figure 7 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021, produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 1.45 Mha burnt in Peru since January 1 until September 12, 2021, the second highest value since 2015 for the same period, lower than 2020. Approximately, 52,020 ha burnt in the last week. The number of thermal anomalies until September 12, 2021 (36,710) shows a typical trend in the region. 1,790 thermal anomalies registered last week, increasing after the last week.




Figure 7. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

7 Wildfires in Venezuela

Figure 8 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021, produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 4.27 Mha burnt in Venezuela since January 1 until September 12, 2021, with 15,252 ha burnt in the last week. These values are below the values of 2019 and 2020. The number of fires recorded in GWIS in the last week was 68. The number of thermal anomalies until September 12, 2021 (124,053) shows a typical trend in the region. 1,395 thermal anomalies were recorded by VIIRS during the last week.




Figure 8. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

8 Wildfires in Chile

Figure 9 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021, produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 433,860 ha burnt in Chile since January 1 until September 12, 2021, with 4,072 ha burnt in the last week. The number of fires recorded in GWIS in the last week was 24, while the number of fires remains above the numbers of the last 6 years. The number of thermal anomalies until September 12, 2021 (12,408) shows a typical trend in the region as compared to the trends during previous years. 137 thermal anomalies were detected by VIIRS during the last week, which is similar to the values in the same week during previous years.




Figure 9. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

9 Wildfires in Argentina

Figure 10 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021, produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 3.41 Mha burnt in Argentina since January 1 until September 12, 2021, with 0.126 Mha burnt in the last week. These values are below of those of 2020 and similar to the ones reached in 2018 for the same week. The number of fires recorded in GWIS in the last week was 458. The number of thermal anomalies until September 12, 2021 (109,799) shows a typical trend in the region. 4,604 thermal anomalies were recorded by VIIRS during the last week.




Figure 10. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

10 Wildfires in Ecuador

Figure 11 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021 produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 62,443 ha burnt in Ecuador since January 1 until September 12, 2021, with 1,918 ha burnt in the last week. The number of fires recorded in GWIS in the last week was 10. The trends of the areas burnt and the number of fires in the country are similar to those of the previous 6 years. The number of thermal anomalies until September 12, 2021 (2,132) shows a typical trend in the region. 73 thermal anomalies were detected by VIIRS in the last week.




Figure 11. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

11 Wildfires in Uruguay

Figure 12 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021 produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 47,040 ha burnt in Uruguay since January 1 until September 12, 2021, with 159 ha burnt last week, which is the lowest weekly value in 2021. One fire was recorded last week. The number of thermal anomalies until September 12, 2021 (1,598) shows a typical trend in the region.




Figure 12. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

12 Wildfires in French Guiana

Figure 13 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021, produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 893 ha burnt since January 1 until September 12, 2021, in French Guiana, 1 fire was recorded last week. The number of thermal anomalies until September 12, 2021 (56) shows a typical trend in the region as compared to the trends during previous years. One thermal anomaly was detected by VIIRS during the last week, which is similar to the values in the same week during previous years.




Figure 13. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

13 Wildfires in Guyana

Figure 14 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021 produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 61,718 ha burnt in Guyana since January 1 until September 12, 2021, with 443 ha burnt and 2 fires recorded last week. The number of thermal anomalies until September 12, 2021 (1,798) shows a typical trend in the region as compared to the trends during previous years. 94 thermal anomalies were detected by VIIRS during the last week, which is similar to the values in the same week during previous years.




Figure 14. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

14 Wildfires in Suriname

Figure 15 shows the trends on the extent of burnt areas and the number of fires since January 1, 2021, produced by the Near-Real Time (NRT) fire analysis in GWIS. The last row shows the evolution of active hot spots (thermal anomalies) detected by the satellite sensor VIIRS. A total of 4,533 ha burnt in Suriname since January 1 until September 12, 2021. One fire was recorded last week. The total number of fires since the beginning of the year is 21. The number of thermal anomalies until September 12, 2021 (170) shows a typical trend in the region. 6 thermal anomalies were registered last week.




Figure 15. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years.

15 Fire danger and fire weather forecast in the Amazon region

This section provides information on the fire danger forecast in the Amazon region for the current week. High levels of fire danger facilitate fire ignitions and the propagation of ongoing fires. Figure 16 provides the average fire danger for the week of September 6 to September 12, 2021. This information is based on the daily fire danger forecast that is provided online in GWIS³. According to the forecast, it is expected that fire danger conditions will continue to be very high to extreme in eastern part of Brazil, northern Chile and moderate to high in eastern Bolivia, Paraguay, and northern/western Argentina.





Figure 16. Average Fire danger forecast. Week, September 13 - September 19, 2021.

The weekly weather forecast of temperature and precipitation anomalies are presented in Figure 17. Below average temperatures are forecasted for areas of northern Brazil. Above average temperatures are forecasted in Paraguay, Bolivia, southeastern Brazil, northern Argentina and southern Peru. The models estimate below average precipitation for next week in Colombia, Venezuela, northern Peru and Ecuador. An above average precipitation is expected in central-northern and southern Brazil, also covering southern Paraguay, and finally southern Chile.



³ https://gwis.jrc.ec.europa.eu/static/gwis_current_situation/public/index.html

Figure 17. Temperature and rain anomalies of the current week, September 13 - September 19, 2021.

16 List of Figures

Figure 1. Areas analyzed in this report: Brazil Legal Amazon, Brazil, Bolivia, Colombia, Paraguay, Peru, Venezuela, Chile, Argentina, Ecuador, Uruguay, French Guiana, Guyana and Suriname
Figure 2 Trend of burnt areas and number of fires as compared to data in the last 6 years
Figure 3. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years
Figure 4. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years
Figure 5. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years
Figure 6. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years
Figure 7. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years
Figure 8. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years
Figure 9. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years
Figure 10. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years
Figure 11. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years
Figure 12. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years
Figure 13. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years
Figure 14. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years
Figure 15. Trend of burnt areas, number of fires and thermal anomalies as compared to data in the last 6 years
Figure 16. Average Fire danger forecast. Week, September 13 - September 19, 202117
Figure 17. Temperature and rain anomalies of the current week, September 13 - September 19, 2021 18

GETTING IN TOUCH WITH THE EU

In person

All over the European Union there are hundreds of Europe Direct information centres. You can find the address of the centre nearest you at: <u>https://europa.eu/european-union/contact_en</u>

On the phone or by email

Europe Direct is a service that answers your questions about the European Union. You can contact this service:

- by freephone: 00 800 6 7 8 9 10 11 (certain operators may charge for these calls),
- at the following standard number: +32 22999696, or

- by electronic mail via: https://europa.eu/european-union/contact_en

FINDING INFORMATION ABOUT THE EU

Online

Information about the European Union in all the official languages of the EU is available on the Europa website at: https://europa.eu/european-union/index en

EU publications

You can download or order free and priced EU publications from EU Bookshop at:

https://publications.europa.eu/en/publications. Multiple copies of free publications may be obtained by contacting Europe Direct or your local information centre (see https://europa.eu/european-union/contact_en).

The European Commission's science and knowledge service

Joint Research Centre

JRC Mission

As the science and knowledge service of the European Commission, the Joint Research Centre's mission is to support EU policies with independent evidence throughout the whole policy cycle.



EU Science Hub ec.europa.eu/jrc

- ScienceHub
- **f** EU Science Hub Joint Research Centre
- in EU Science, Research and Innovation
- EU Science Hub

